

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	35965	control\$4 same instruct\$4 same computer same software	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:44
S2	121	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:45
S3	106	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:46
S4	99	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:46

S5	68	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:47
S6	51	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:48
S7	0	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4 same value\$1 and base\$4 same storage\$4 and ((LUT or lookup) same table) same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:54

S8	0	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4 same value\$1 and base\$4 same stor\$4 and ((LUT or look-up) same table) same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:55
S9	44	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4 same value\$1 and base\$4 same stor\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:55

S10	0	control\$4 same instruct\$4 same computer same software and pressur\$4 same sens\$6 same user same control\$4 same element\$1 same connect \$4 and user same maximum same pressur\$4 same stor\$4 same value\$1 and base\$4 same stor\$4 same value\$1 and ((LUT or look-up) same table) and generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:56
S11	1	touch\$4 same (SCREEN OR PANEL\$1) and user same maximum same pressur\$4 same stor\$4 same value\$1 and base\$4 same stor\$4 same value\$1 and ((LUT or look- up) same table) and generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 13:57
S12	20410	input same device and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:11
S13	14242	input same pressur\$4 same sens\$6 and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:11

S14	141	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:12
S15	69	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4 and generat\$4 same table\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:14
S16	40	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4 and generat\$4 same table\$1 same bas\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:14
S17	293418	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4 and generat\$4 same table\$1 same bas\$4 same stor \$4 same value \$1 and perform \$4 same function\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:15

S18	38	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4 and generat\$4 same table\$1 same bas\$4 same stor \$4 same value \$1 and perform \$4 same function\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:15
S19	19	input same pressur\$4 same sens\$6 and user same maximum same pressur\$4 same value\$1 same stor\$4 and generat\$4 same table\$1 same bas\$4 same stor \$4 same value \$1 and perform \$4 same different same function\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:17
S20	65325	pressur\$4 same sens\$6 same game input and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:23
S21	85	pressur\$4 same sens\$6 same game\$1 same input\$4 and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:23
S22	65	pressur\$4 same sens\$6 same game\$1 same input\$4 and maximum same pressur\$4 same user	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:24

S23	14	pressur\$4 same sens\$6 same game\$1 same input\$4 and maximum same pressur\$4 same user same value \$1 same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:24
S24	8	pressur\$4 same sens\$6 same game\$1 same input\$4 and maximum same pressur\$4 same user same value \$1 same stor\$4 and generat\$4 same table\$1 same bas\$4 same stor\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:28
S25	2	"6524187".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:32
S26	20693	"463"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S27	15929	"463"/\$.ccls. and input\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S28	0	"463"/\$.ccls. and input\$4 and pressur\$4 same snes\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33
S29	821	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:33

S30	45	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:34
S31	1	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 same stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:34
S32	27	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S33	19	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor\$4 and table\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S34	5	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor\$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/04 21:36
S35	8	"463"/\$.ccls. and input\$4 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:44

S36	3	"463"/\$.ccls. and game\$1 same input\$4 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same measur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:45
S37	0	"463"/\$.ccls. and game\$1 same input\$4 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:47
S38	10	game\$1 same input\$4 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:47
S39	5	game\$1 same input\$4 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4) same bas\$4 same (game\$1 or pre- determin\$4) same game\$1 same pressur\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:49
S40	49095	game\$1 same input\$4 same device\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51

S41	2591	game\$1 same input\$4 same device\$1 and pressur\$4 same sens\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51
S42	10	game\$1 same input\$4 same device\$1 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:51
S43	7	game\$1 same input\$4 same device\$1 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4) and bas\$4 same (game\$1 or pre- determin\$4) same pressur\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:52
S44	7	game\$1 same input\$4 same device\$1 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4) and based same (game\$1 or pre- determin\$4) same pressur\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:52

S45	1	game\$1 same input\$4 adj device\$1 and pressur\$4 same sens\$6 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:54
S46	2	game\$1 same input\$4 adj device\$1 and user same pressur\$4 same valu\$4 same (measur\$4 and correct\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:55
S47	31	game\$1 same input\$4 adj device\$1 and user same pressur\$4 same valu\$4 same (measur\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 16:55
S48	0	game\$1 same input\$4 adj device\$1 and user same pressur\$4 adj (measur\$4 same valu\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:14
S49	0	game\$1 same input\$4 adj device\$1 and pressur\$4 adj (measur\$4 same valu\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:15
S50	640	game\$1 adj input\$4 adj device\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:15
S51	78841	game\$1 adj input\$4 adj device\$1 amd pressur\$4 adj measur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16

S52	22443	game\$1 adj input\$4 adj device\$1 and pressur\$4 adj measur\$4 adj value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16
S53	0	game\$1 adj input\$4 adj device\$1 and pressur\$4 adj measur\$4 adj value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:16
S54	0	game\$1 adj input\$4 adj device\$1 and pressur\$4 adj measur\$4 adj value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:17
S55	0	game\$1 adj input\$4 adj device\$1 and pressur\$4 adj measur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:17
S56	2	game\$1 adj input\$4 and pressur\$4 adj measur\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:18
S57	1054	input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:35
S58	139	input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4 same correct\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:35

S59	55	input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4 same correct\$4 same pressure same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:36
S60	26	input\$4 and pressur\$4 adj sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4 same correct\$4 same pressure same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:36
S61	7	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$4) and stor \$4 and table\$1 same generat\$4 same correct\$4 same pressure same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S62	0	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$4) and stor \$4 and table\$1 same generat\$4 same correct\$4 same (pressure adj value\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37

S63	0	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$4) and stor \$4 and table\$1 same generat\$4 same correct\$4 same (pressur \$4 adj value\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S64	0	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$1) and stor \$4 and table\$1 same generat\$4 same correct\$4 same (pressur \$4 adj value\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:37
S65	7	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$1) and stor \$4 and table\$1 same generat\$4 same correct\$4 same pressure same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:38
S66	7	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$2) and stor \$4 and table\$1 same generat\$4 same correct\$4 same pressure same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:38

S67	7	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$2) and stor \$4 and table\$1 same generat\$4 same correct\$4 same (pressur \$4 same valu \$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:39
S68	3	input\$4 and pressur\$4 adj sens\$6 and maximum same (pressur\$4 adj valu\$2) same user and stor\$4 and table\$1 same generat\$4 same correct\$4 same (pressur \$4 same valu \$2)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:39
S69	4	"463"/\$.ccis. and input\$4 and pressur\$4 adj sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:41
S70	4	"463"/\$.ccis. and input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 and stor\$4 and table \$1 same generat \$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:42
S71	48	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 and stor \$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:44

S72	20	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 and stor \$4 and table\$1 adj generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:57
S73	0	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 and stor \$4 and table\$1 adj generat\$4 same correct\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 17:58
S74	2	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:01
S75	2	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:10
S76	1054	input\$4 and pressur\$4 same sens\$6 and maximum same pressur\$4 same valu\$4 and stor \$4 and table\$1 same generat\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/05 18:10

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S77	1	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1	USPAT; UPAD	OR	OFF	2009/12/05 18:01
S78	1	input\$4 and pressur\$4 adj sens\$6 same maximum adj valu\$4 same user and stor\$4 and table\$1 adj generat\$4 and correct\$4 same value\$1 and game\$1 adj program\$5	USPAT; UPAD	OR	OFF	2009/12/05 18:12

12/ 6/ 2009 11:29:33 AM

C:\Documents and Settings\pdharia\My Documents\EAST\Workspaces\09758033 12-05-2009.wsp